

Docket Number: S159 1020
#209607 v1 - S159 1020 APPLICATION TRANSMITTAL

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

DR. WALTER SCHUBERT

For: A DEVICE FOR BINDING MOLECULES, MOLECULAR GROUPS,
MOLECULAR PARTS AND/OR CELLS

JC808 U.S. PTO
09/613964
07/11/00

CERTIFICATE OF EXPRESS MAIL

Assistant Commissioner for Patents
Box PATENT APPLICATION
Washington, D.C. 20231


Sir:

Enclosed for filing in the above case are the following documents:

Patent Application Transmittal
Specification
Claims - 1-15
Abstract
Drawings - Figs. 1-2b
Declaration for Patent Application - Unsigned
Preliminary Amendment
Filing Fee - \$345.00 - Check#018604
Return Postcard

Respectfully submitted,

Womble Carlyle Sandridge & Rice
P.O. Box 720601
Atlanta, GA 30358-2601
404-962-7523


Louis T. Isaf
Reg#29,078

Docket Number: S159 1020

I hereby certify that all correspondences listed above are being deposited for delivery to the above addressee, with the United States Postal Service **"EXPRESS MAIL POST OFFICE TO ADDRESSEE"** service under 37 CFR 1.10 on the date indicated below:

The envelope has been given U.S. Postal Service "Express Mail Post Office To Addressee"
Package #EL545324359US.

7-11-00
Date


(Printed Name of Person Mailing Correspondence)


(Signature of Person Mailing Correspondence)

09/613964-071100

PATENTS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:)

DR. WALTER SCHUBERT)

Serial No: **Not yet assigned**)

Filed: **Not yet assigned**)

For: **A DEVICE FOR BINDING MOLECULES, MOLECULAR GROUPS,
MOLECULAR PARTS AND/OR CELLS**

PRELIMINARY AMENDMENT

Assistant Commissioner For Patents
Box PATENT APPLICATION
Washington, D.C. 20231

Sir:

Prior to the first Examiner's Action for the above-identified patent application, please
amend the application as follows:

In the Specification:

Please add the following text beginning on line 8 of page 1 of the specification:

CROSS REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of German patent application number 199 32 958.3,
filed July 14, 1999.

REMARKS

Applicant courteously solicits acceptance of the above Preliminary Amendment.

Respectfully submitted,



WOMBLE CARLYLE SANDRIDGE & RICE
P.O. Box 720601
Atlanta, GA 30358-2601

Louis T. Isaf
Attorney for Applicant
Reg#29,078

Docket Number: **S159 1020**

#209605 v1 - S159 1020 PRELIMINARY AMENDMENT

09:49:44-07:10
007720-49605

5

10

1

15

A DEVICE FOR BINDING MOLECULES, MOLECULAR GROUPS,
MOLECULAR PARTS AND/OR CELLS

The present invention relates to a device for binding molecules, molecular
20 groups, molecular parts and/or cells contained in a liquid to target structures, as
well as to a method for binding molecules, molecular groups, molecular parts
and/or cells contained in a liquid to target structures.

The only method known so far for binding molecules, molecular groups,
25 molecular parts and/or cells contained in a liquid to target structures is the one
according to "Stamper and Woodruff (1976) *J. Exp. Med.* 144, 828-833". This
method comprises the fixing of target structures to a surface and subsequently
rehydrating them. Then, the target structures are coated with 100 to 200 μ l of the
liquid containing the molecules, groups of molecules, parts of molecules and/or

cells. Incubation (e.g.: 30 min, 7°C) thereof on a shaker or rotating table is followed by a rinsing step which will remove any non-binding matter.

One major disadvantage of this method is the fact that it is performed manually. Moreover, motion devices are used for obtaining the binding equilibrium which only poorly simulate the conditions prevailing in certain natural systems. Another shortcoming is that the rinsing step may destroy the often weak adherence of ingredients of the liquid to the target structures. Yet another disadvantage of this method is that it is not capable of stopping metabolic processes.

It is therefore the object of the present invention to provide a device and a method for simulating the short-term interactions occurring between molecules, molecular groups, molecular parts and/or cells in a liquid, on the one hand, and the target structures, on the other, at the same time allowing most of the metabolic processes to be stopped at any time.

This object is accomplished by a device and a method having the features of the independent claims.

20

Advantageous embodiments are described in the subclaims.

A device of the invention for binding molecules, molecular groups, molecular parts and/or cells contained in a liquid to target structures comprises at least one object holder with at least one target structure firmly held therein which is in contact with at least one duct made of at least one material, said duct including, at its one aperture, a liquid inlet and, at its other aperture, a liquid outlet, as well as at least one object holder thermostat used for cooling the respective object holder.

30

This is based on the inventive idea that flowing a liquid containing molecules, molecular groups, molecular parts and/or cells through a duct which is in contact with a target structure will cause said molecules, molecular groups, molecular parts and/or cells to bind to said target structure. Any non-binding matter can be removed via the second duct aperture. At the same time, the temperature of the object holder will be controlled by the object holder thermostat. Owing to the flowing motion, passing the liquid containing molecules, molecular groups, molecular parts and/or cells over the target structure is a better way of simulating natural systems with short-term interactions than by means of a prior art shaker or a prior art rotating table. A particular advantage of the invention is that it allows an interruption of metabolic processes at any time by decreasing the temperature of the object holder by means of the object holder thermostat. In doing so, the temperature of the object holder will be 2-10°C, in particular 4°C.

15

In an advantageous embodiment of the invention, the duct is formed by the object holder and paraffin-like sheet material. This allows the duct to widen, if necessary, preventing excessive pressure build-up within said duct.

20

In yet another advantageous embodiment of the invention, the discharged liquid will be collected in a vessel, thus preventing a loss of liquid which has already passed the duct, which liquid may be difficult and/or expensive to prepare.

25

In another advantageous embodiment of the invention, the temperature of the vessel will be cooled by a vessel thermostat, thus preventing any metabolic processes from occurring within said vessel and allowing the liquid or its ingredients to be used again.

A method of the invention for binding molecules, molecular groups, molecular parts and/or cells contained in a liquid to target structures comprises the following steps: (a) passing liquid through a duct and over an object holder carrying a target structure firmly held therein, (b) removing any non-binding matter via a second duct aperture and collecting such matter in a vessel, (c) cooling said object holder by means of an object holder thermostat, and (d) fixing the molecules, molecular groups, molecular parts and/or cells adhering to the object holder.

In yet another advantageous embodiment of the invention, the device is used in an automated method for determining molecular classes, molecular groups, molecular parts in a solid or liquid object according to U.S. patent application serial number 09/353,942, the entire specification of which is incorporated herein by this reference. This will allow identification and characterization of the binding partners. It will be possible at the same time to identify and characterize the molecular classes, molecular groups and/or molecular parts required for the binding process. Such application will be advantageous in numerous areas of chemistry, biology, biochemistry and especially medicine. This will not only open up new possible ways of diagnosing, but will also provide a new test system for therapeutic approaches on a molecular level.

Further details, features and advantages of the invention will ensue from the description, which follows, of an embodiment illustrated in the drawings, of which:

Figure 1a is a top view of an object holder of the device of the invention;

Figure 1b is a cross-sectional view of the object holder of Figure 1a;

Figure 2a is a schematic lateral view of the device of the invention; and

Figure 2b is a detailed view of an element of the device of the invention.

5 **Figure 1a** is a top view of an object holder 10 of the device for binding molecules, molecular groups, molecular parts and/or cells, whereas **Figure 1b** is a cross-sectional view of the object holder 10.

10 It can be seen that a target structure 12 has been detachably mounted on said object holder 10 and contacts a duct 14 defined by said object holder 10, two paraffin-sheet strips 20 and a continuous paraffin-sheet layer 22. Two aluminum rails 24 are mounted on said paraffin-sheet layer 22 whose surface areas are similar to that of said paraffin-sheet strips 20 underneath them. Furthermore, it may be gathered from this figure that duct 14 has first and second duct apertures
15 16, 18 for inlet and outlet, resp., of liquid 62. Liquid 62 may be discharged by means of a plunger mechanism 58, a pump (not shown), or under the influence of gravity and by means of a pump (not shown), or under the influence of gravity alone.

20 **Figure 2a** is a schematic lateral view of the device for binding molecules, molecular groups, molecular parts and/or cells, with said object holder 10, including paraffin-sheet strips 20, paraffin-sheet layer 22, aluminum rails 24, a hollow needle 60 and said liquid 62, being additionally shown in detail in **Figure 2b**.

25

 These illustrations show that – besides the elements mentioned above – the device includes an object holder thermostat 26 comprising a cooling plate 28, made of aluminum, a first Peltier element 30, a first cooling element 32 and a first fan 34. Said device is mounted on a post 52 with clamping joint 54 in such a way
30 that the angle between the mounted object holder 10 and a basic plate 64 is

approx. 20-70°. Object holder 10 is firmly pressed onto object holder thermostat 26 by a pressure plate with a central aperture 36 which rests on aluminum rails 24. Sufficient pressure is ensured by way of springs 38.

5 Liquid 62 is introduced into the first duct aperture 16 by means of a suture 58 detachably mounted by means of a suture support 56, and a hollow needle. Under the influence of gravity, liquid 62 will thus flow through duct 14 and contact target structure 12, allowing the desired and predetermined ingredients of liquid 62 to bind to target structure 12. Finally, liquid 62 will reach the second
10 duct aperture 18, exit duct 14 and drip into a vessel 40 surrounded by a vessel thermostat 42. Said vessel thermostat 42 comprises a vessel support 44, made of copper, a second Peltier element 46, a second cooling element 48 and a second fan 50.

15 Once all of said liquid 62 (approx. 1 ml) has passed through said duct 14, object holder thermostat 26 and vessel thermostat 42 will cool said vessel 40 and said object holder 10 down to 4°C so as to stop any metabolic activity.

 Liquid 62 may contain lymphocytes. Target structure 12 is a tissue section
20 or a membrane coated with molecules or molecular combinations.

What is claimed is:

1. A device for binding molecules, molecular groups, molecular parts
and/or cells contained in a liquid to target structures **wherein** said
device comprises at least one object holder with at least one target
structure firmly held therein which contacts at least one duct made of
at least one material, said duct including a liquid inlet at a first aperture
thereof, and a liquid outlet at a second aperture thereof, as well as at
least one object holder thermostat used for cooling said object holder.
2. The device of claim 1 **wherein** said duct is formed by said object
holder and paraffin-like sheet material.
3. The device as claimed in claim 1 **wherein** said liquid is introduced by
means of a plunger mechanism, a pump or under the influence of
gravity.
4. The device as claimed in claim 1 **wherein** said liquid can be
discharged by means of a pump or under the influence of gravity.
5. The device as claimed in claim 1 **wherein** the temperature of said
object holder can be cooled down to 2-10°C by means of the object
holder thermostat.
6. The device as claimed in claim 1 **wherein** the object holder thermostat
includes a first Peltier element.
7. The device as claimed in claim 1 **wherein** the discharged liquid will be
collected in a vessel.

8. The device as claimed in claim 7 **wherein** the temperature of said vessel will be cooled down by means of a vessel thermostat.
9. The device as claimed in claim 8 **wherein** a vessel thermostat allows the temperature of said vessel to be cooled down to 2-10°C.
10. The device as claimed in claim 7 **wherein** said vessel thermostat includes a second Peltier element.
11. The device as claimed in claim 8 **wherein** said vessel thermostat includes a second Peltier element.
12. The device as claimed in claim 1 **wherein** said liquid contains lymphocytes.
13. The device as claimed in claim 1 **wherein** said target structure is a tissue section or a membrane coated with molecules or molecular combinations.
14. A method for binding molecules, molecular groups, molecular parts and/or cells contained in a liquid to target structures **wherein** said method comprises the following steps:
 - a. passing liquid through a duct and over an object holder with a target structure firmly held therein,
 - b. removing any non-binding matter via a second aperture of said duct and collecting said matter in a vessel,
 - c. cooling said object holder by means of an object holder thermostat, and
 - d. fixing the molecules, molecular groups, molecular parts and/or cells binding to said object holder.

15. Use of the device as claimed in one of the preceding claims in an automated method for determining molecular classes, molecular groups, molecular parts in a solid or liquid object according to U.S. application serial number 09/353,942.

03760-436960

ABSTRACT

The present invention relates to a device for binding molecules, molecular groups, molecular parts and/or cells contained in a liquid to target structures, said
5 device comprising at least one object holder with at least one target structure firmly held therein which contacts at least one duct made of at least one material. A first aperture of said duct is a liquid inlet aperture, and a second aperture thereof is a liquid outlet aperture, with at least one object holder thermostat which is used for cooling the respective object holder also being provided.

10

FILENAME \p ::ODMA\PCDOCS\ATLANTA\209791\1

Fig. 1a:




Fig. 1b:





Fig. 2a:

2/2

Fig. 2b:



DECLARATION FOR PATENT APPLICATION

Attorney Docket No: S159 1020

As the below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe:

- ☒ I am the original, first and sole inventor
☐ I am an original, first and joint inventor

of the subject matter which is claimed and for which a patent is sought on the invention entitled A DEVICE FOR BINDING MOLECULES, MOLECULAR GROUPS, MOLECULAR PARTS AND/OR CELLS, the specification of which:

- ☒ is attached hereto.
☐ was filed on _____ as Application Serial No. _____.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim the benefit under Title 35, United States Code, §119 of any United States provisional patent application, foreign application(s) for patent or inventor's certificate listed below and have also identified below any United States provisional patent application, foreign application for patent or inventor's certificate having a filing date before that of the above-identified application on which priority is claimed: **German Application No. 199 32 958.3, Filed July 14, 1999**

I hereby claim the benefit under Title 35, United States Code, §120 of any United States patent application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application: **N/A**

I hereby appoint the following attorneys/agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: **LOUIS T. ISAF Reg. No. 29,078; JAMES F. VAUGHAN Reg. No. 31,889; STEVEN D. KERR Reg. No. 32,472; D. SCOTT SUDDERTH Reg. No. 34,026; MICHAEL A. CICERO Reg. No. 34,562; JOHN J. TIMAR Reg. No. 32,497; LI WANG Reg. No. 44,393; JEFFERY B. ARNOLD Reg. No. 39,540; JUDY C. JARECKI-BLACK Reg. No. 44,170; STEVEN L. SCHMID Reg. No. 39,358; LISA J. MOYLES Reg. No. 40,737.**

Please address all telephone calls, in the first instance, to Louis T. Isaf at telephone number: **(404) 962-7523.**

Address all correspondence to: **WOMBLE CARLYLE SANDRIDGE & RICE
P.O. Box 720601
Atlanta, Georgia 30358-2601**

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statement and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

First Inventor's Signature _____ Date: _____
Full Name of First Inventor **DR. WALTER SCHUBERT**
Residence **Biederitz, Germany** Citizenship **German**
Post Office Address **Am Muhlengrund 9
D-39175 Biederitz, Germany**